

09/896955

Jan. 6. 2008 3:37PM Gary C Cohn PLLC

No. 1969 P. 1

1147 N. 4th St, Unit 6E
Philadelphia, PA 19123 USA
1-215-931-0372
Fax 1-215-931-0374
garycohn@seattlepatent.com

Gary C. Cohn PLLC

Fax

RECEIVED
CENTRAL FAX CENTER

JAN 07 2008

To: USPTO Certificate of Corrections Branch From: Gary C. Cohn

RECEIVED
CENTRAL FAX CENTER

Fax: 571 273 8300 Pages: ~~X~~ 4

JAN 07 2008

Phone: Date: 6 January 2008

Re: USP 6,818,250 (UTC 005) cc:

Urgent For Review Please Comment Please Reply Please Recycle

• **Comments:** Please see attached letter, SB/44 form and credit card auth form.

Certificate
JAN 08 2008
of Correction

RECEIVED
CENTRAL FAX CENTER

JAN 8 2008

Jan. 6. 2008 3:37PM Gary C Cohn PLLC

RECEIVED No. 1969 P. 2
CENTRAL FAX CENTER

JAN 07 2008

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


United States Patent No: 6,818,250

Patentees: Steven M. George and Jason W. Klaus

Issue Date: 16 November 2004

For: METHOD FOR FORMING SiO₂ BY CHEMICAL VAPOR DEPOSITION AT ROOM TEMPERATURE

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING SENT BY FACSIMILE ON January 6, 2008	
DATE OF DEPOSIT	
Gary C. Cohn	
PRINT OR TYPE NAME OF PERSON SIGNING CERTIFICATE	
SIGNATURE OF PERSON SIGNING CERTIFICATE	



REQUEST FOR CERTIFICATE OF CORRECTION

Pursuant to 37 CFR §1.323, please issue a certificate of correction in this application, to correct the error indicated in the attached form PTO/SB/44. The required fee of \$100.00 is being submitted herewith.

The error being corrected hereby is an error of a minor character that occurred in good faith, and the correction of such error will not constitute new matter nor require reexamination of the patent.

Respectfully submitted,
GARY C. COHN PLLC

Gary C. Cohn
Registration No. 30,456
Phone: (215) 931-0372
1147 N. 4th St., Unit 6E
Philadelphia, PA 19123

RECEIVED AND FILED
JAN 8 2008

JAN 8 2008

01/07/2008 VBUI11 00000017 09096955

01 FC:1811

100.00 0P

UTC 005

-1-

RECEIVED
CENTRAL FAX CENTER

Jan. 6, 2008 3:37PM Gary C Cohn PLLC

No. 1969 P. 3

JAN 07 2008

PTO/SB/44 (09-07)

Approved for use through 08/31/2010. OMB 0651-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6818250

APPLICATION NO.: 09/896,955

ISSUE DATE : November 16, 2004

INVENTOR(S) : Steven M. George and Jason W. Klaus

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 1, line 14, "the United States Department of Energy" is to be stricken and replaced with "the Air Force Office of Scientific Research".

RECEIVED
Patent and Trademark Office
JAN 8 2008

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Gary C. Cohn, Gary C. Cohn PLLC, 1147 N. 4th St., Unit 6E, Philadelphia, PA 19123

JAN 8 2008

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.